



# JOURNEYMAN



Columbia's Journeyman series is built for work. These multi-use vehicles are perfect for all-day use. The features of the Journeyman series are built to improve fleet productivity. Whether you are in need of vehicles for maintenance, higher education, hospitality, construction, or shuttling, the Journeyman can easily switch from task to task without slowing you down. When you need to do it all, have a Journeyman at your side.



- 1 Rear Facing Seat
- 2 Drop Sides on Cargo Box



**COLUMBIA**

# BUILT FOR WORK



# JOURNEYMAN

## Dimensions

Width : 53.5 in.

Step Height: 12 in.

Ground Clearance: 6.5 in.

## Power Train

Motor:

5 kw continuous rated AC motor

Batteries:

Six, 8 volt

Controller Rating:

450 amp high performance AC controller

## Performance

Max Speed: 19 MPH

Range<sup>1</sup>: Up to 40 miles

## Chassis

Brakes:


4 wheel hydraulic; automatic parking brake

Suspension:

Front - Double A-arm with independent coil springs over shock absorbers  
Rear - Independent coil springs over shock absorbers with anti-roll sway bar

Tires:

205/50-10 DOT rated tires



**2+2** | 4 Passengers


Length: 108 in.

Wheel Base: 64 in.

Turning Radius: 219 in.

Rated Capacity<sup>2</sup>: 800 lbs.

Vehicle Weight: 1,350 lbs.



**2X** | 2 Passengers


Length: 104 in.

Wheel Base: 64 in.

Turning Radius: 219 in.

Rated Capacity<sup>2</sup>: 800 lbs.

Vehicle Weight: 1,300 lbs.



**2XL** | 2 Passengers


Length: 131 in.

Wheel Base: 96 in.

Turning Radius: 304 in.

Rated Capacity<sup>2</sup>: 1,100 lbs.

Vehicle Weight: 1,500 lbs.



**4** | 4 Passengers


Length: 126.5 in.

Wheel Base: 96 in.

Turning Radius: 304 in.

Rated Capacity<sup>2</sup>: 1,100 lbs.

Vehicle Weight: 1,400 lbs.



**4+2** | 6 Passengers


Length: 140 in.

Wheel Base: 96 in.

Turning Radius: 304 in.

Rated Capacity<sup>2</sup>: 1,100 lbs.

Vehicle Weight: 1,550 lbs.



**4X** | 4 Passengers

Length: 136 in.

Wheel Base: 96 in.

Turning Radius: 304 in.

Rated Capacity<sup>2</sup>: 1,100 lbs.

Vehicle Weight: 1,500 lbs.

Features, options, specifications, color availability and model designation are subject to change without notice. Some vehicles are pictured with options that may be available at extra cost or may not be available on some models. Ask your dealer about the availability of options and verify that the vehicle you order includes the equipment you require.

<sup>1</sup> Range will vary depending on temperature, grade, payload and driving style. | <sup>2</sup> Rated Capacity Includes personnel, cargo, options and accessories.

*Columbia Vehicle Group, Inc.*

A Nordic Group Company | Business Ventures Since 1947

1115 Commercial Ave. Reedsburg, WI 53959  
columbiavehicles.com



**COLUMBIA**



**TOMBERLIN**



# JOURNEYMAN




Shown With Options

Columbia's Journeyman LSV series is built for work. Engineered to easily adapt from job to job, the Journey series is made to increase productivity all day long. Ideal for municipalities, cities, higher education, and other road worthy tasks, choose Columbia's Journeyman series. Since the Journeyman may be purchased as an LSV, it is street-legal and not restricted from operating on most public roads<sup>2</sup>. For when you need to do it all, have a Journeyman at your side.



1



2



3

- 1 Rear Facing Seat
- 2 Back-up Camera
- 3 Drop Sides on Cargo Box



**COLUMBIA**

# BUILT FOR WORK



# JOURNEYMAN

## Dimensions

Width : 53.5 in.

Step Height: 12 in.

Ground Clearance: 6.5 in.

## Power Train

Motor:

Batteries:

Controller Rating:

5 kw continuous rated AC motor

Six, 8 volt

450 amp high performance AC controller

## Performance

Max Speed: 25 MPH

Range<sup>1</sup>: Up to 40 miles

## Chassis

Brakes:

Suspension:

Tires:

4 wheel hydraulic, automatic parking brake

Front - Double A-arm with independent coil springs over shock absorbers  
Rear - Independent coil springs over shock absorbers with anti-roll sway bar

205/50-10 DOT rated tires



**2+2** | 4 Passengers


Length: 108 in.

Wheel Base: 64 in.

Turning Radius: 219 in.

GVWR: 2,000 lbs.

Vehicle Weight: 1,350 lbs.



**2X** | 2 Passengers


Length: 104 in.

Wheel Base: 64 in.

Turning Radius: 219 in.

GVWR: 2,000 lbs.

Vehicle Weight: 1,300 lbs.



**2XL** | 2 Passengers


Length: 131 in.

Wheel Base: 96 in.

Turning Radius: 304 in.

GVWR: 2,500 lbs.

Vehicle Weight: 1,500 lbs.



**4** | 4 Passengers


Length: 126.5 in.

Wheel Base: 96 in.

Turning Radius: 304 in.

GVWR: 2,500 lbs.

Vehicle Weight: 1,400 lbs.



**4+2** | 6 Passengers


Length: 140 in.

Wheel Base: 96 in.

Turning Radius: 304 in.

GVWR: 2,500 lbs.

Vehicle Weight: 1,550 lbs.



**4X** | 4 Passengers

Length: 136 in.

Wheel Base: 96 in.

Turning Radius: 304 in.

GVWR: 2,500 lbs.

Vehicle Weight: 1,500 lbs.

Features, options, specifications, color availability and model designation are subject to change without notice. Some vehicles are pictured with options that may be available at extra cost or may not be available on some models. Ask your dealer about the availability of options and verify that the vehicle you order includes the equipment you require.

<sup>1</sup> Range will vary depending on temperature, grade, payload and driving style. | Rated Capacity Includes personnel, cargo, options and accessories.

<sup>2</sup> The Journeyman may be equipped as a street legal vehicle which meets or exceeds the requirements of NHTSA CFR title 49-571.500

Check with your local municipality for specific laws and regulations for LSV vehicles.

*Columbia Vehicle Group, Inc.*

A Nordic Group Company | Business Ventures Since 1947

1115 Commercial Ave. Reedsburg, WI 53959  
columbiavehicles.com



**COLUMBIA**



**TOMBERLIN**